Author index

Abrahams, J.P., Acampo, J.J.C., Ott, G., Sprinzl, M., De Graaf, J.M., Talens, A. and Kraal, B.
The interaction between aminoacyl-tRNA and the mutant elongation factors Tu A_R and B_0 (1050) 226
Acampo, J.J.C., see Abrahams, J.P. (1050) 226
Adhin, M.R., Alblas, J. and Van Duin, J.
Secondary structure at the 3′ terminal region of RNA coliphages: comparison with tRNA (1050) 110
Adhin, M.R., Avots, A., Berzin, V., Overbeek, G.P. and Van Duin, J.
Complete nucleotide sequence of the group I RNA bacteriophage fr (1050) 104
Alblas, J., see Adhin, M.R. (1050) 110
Altmann, M., Blum, S., Pelletier, J., Sonenberg, N., Wilson, T.M.A. and Trachsel, H.
Translation initiation factor-dependent extracts from *Saccharomyces cerevisiae* (1050) 155
Amons, R., see Van Damme, H.T.F. (1050) 241
Anborgh, P.H., see Gümüsel, F. (1050) 215
Anders, J.C., see O'Brien, T.W. (1050) 174
Archer, R.H., see Lindahl, L. (1050) 337
Arndt, E., see Bergmann, U. (1050) 56
Arnold, L., see Ott, G. (1050) 222
Arrand, J.R., see Clarke, P.A. (1050) 167
Atkins, J.F., see Tuohy, T.M.F. (1050) 274
Avots, A., see Adhin, M.R. (1050) 104

Balakin, A., Skripkin, E., Shatsky, I. and Bogdanov, A.
Transition of the mRNA sequence downstream from the initiation codon into a single-stranded conformation is strongly promoted by binding of the initiator tRNA (1050) 119
Baliko, G., see Verbeek, H. (1050) 302
Ballesta, J.P.G., see Saenz-Robles, M.T. (1050) 51
Becker, E., see Mori, H. (1050) 323
Bergmann, U. and Arndt, E.
Evidence for an additional archaebacterial gene cluster in *Halobacterium marismortui* encoding ribosomal proteins HL46e and HL30 (1050) 56
Berzin, V., see Adhin, M.R. (1050) 104
Björk, G.R., see Hagervall, T.G. (1050) 263
Blum, S., see Altmann, M. (1050) 155
Blum, S., see Jaramillo, M. (1050) 134
Blum, S., see Prat, A. (1050) 140
Bogdanov, A., see Balakin, A. (1050) 119
Bosch, L., Nilsson, L., Vijgenboom, E. and Verbeek, H.
FIS-dependent trans-activation of tRNA and rRNA operons of *Escherichia coli* (1050) 293
Bosch, L., see Mans, R.M.W. (1050) 186
Bosch, L., see Verbeek, H. (1050) 302
Brakier-Gingras, L., see Melançon, P. (1050) 98
Brechemier-Baey, D., see Buckingham, R.H. (1050) 259
Brimacombe, R., Gornicki, P., Greuer, B., Mitchell, P., Osswald, M., Rinke-Appel, J., Schüler, D. and Stade, K.
The three-dimensional structure and function of *Escherichia coli* ribosomal RNA, as studied by cross-linking techniques (1050) 8
Browning, K., see Jaramillo, M. (1050) 134
Buckingham, R.H., Sörensen, P., Pagel, F.T., Hijazi, K.A., Mims, B.H., Brechemier-Baey, D. and Murgola, E.J.
Third position base changes in codons 5′ and 3′ adjacent UGA codons affect UGA suppression in vivo (1050) 259
Buser, P., see Prat, A. (1050) 140

Carberry, S.E., see Goss, D.J. (1050) 163
Cavallius, J., see Merrick, W.C. (1050) 235
Chakraburtty, K., see DiDomenico, M.S.J.A.L.B. (1050) 230
Chan, Y.-L., see Wool, I.G. (1050) 69
Clark, B.F.C., Kjeldgaard, M., La Cour, T.F.M., Thirup, S. and Nyborg, J.
Structural determination of the functional sites of *E. coli* elongation factor Tu (1050) 203
Clarke, P.A., Sharp, N.A., Arrand, J.R. and Clemens, M.J.
Epstein-Barr virus gene expression in interferon-treated cells. Implications for the regulation of protein synthesis and the antiviral state (1050) 167
Clemens, M.J., see Clarke, P.A. (1050) 167
Conroy, S.C., see Merrick, W.C. (1050) 235
Cool, R.H., see Gümüsel, F. (1050) 215
Courtney, B.C., see O'Brien, T.W. (1050) 174
Csiszár, K., Lukacsovich, T. and Venetianer, P.
Regulatory elements downstream of the promoter of an rRNA gene of *E. coli* (1050) 312
Cunningham, P.R., Weitzmann, C.J., Nurse, K., Masurel, R., Van Knippenberg, P.H. and Ofengand, J.
Site-specific mutation of the conserved m^6_2A m^6_2A residues of *E. coli* 16S ribosomal RNA. Effects on ribosome function and activity of the ksgA methyltransferase (1050) 18

Dabbs, E.R., see Götz, F. (1050) 93
Dahlberg, A.E., see Frattali, A.L. (1050) 27
Dammel, C., see Mori, H. (1050) 323
Daniels-McQueen, S., see Lin, J.J. (1050) 146
De Graaf, J.M., see Abrahams, J.P. (1050) 226
Delaria, K., see Jurnak, F. (1050) 209
Denslow, N.D., see O'Brien, T.W. (1050) 174
De Stasio, E.A., see Frattali, A.L. (1050) 27
Dever, T.E., see Goss, D.J. (1050) 163
Dever, T.E., see Jaramillo, M. (1050) 134
Dever, T.E., see Merrick, W.C. (1050) 235
DiDomenico, M.S.J.A.L.B. and Chakraburtty, K.
Isolation and characterization of the structural gene encoding elongation factor 3 (1050) 230
Dondon, L., see Portier, C. (1050) 328
Donly, C., Williams, J., Richardson, C. and Tate, W.
Frameshifting at the internal stop codon within the mRNA for bacterial release factor-2 on eukaryotic ribosomes (1050) 283
Draper, D.E., see Sapag, A. (1050) 34
Dreher, T., see Giegé, R. (1050) 179
Droogmans, L., see Grosjean, H. (1050) 267

Ebel, J.-P., see Romby, P. (1050) 84
Ebel, J.P., see Giegé, R. (1050) 179
Ebel, J.P., see Moine, H. (1050) 343
Ebel, J.P., see Portier, C. (1050) 328
Ehresmann, B., see Moine, H. (1050) 343
Ehresmann, B., see Portier, C. (1050) 328
Ehresmann, B., see Romby, P. (1050) 84
Ehresmann, C., see Moine, H. (1050) 343
Ehresmann, C., see Portier, C. (1050) 328
Ehresmann, C., see Romby, P. (1050) 84
Emilsson, V. and Kurland, C.G.
Growth rate dependence of global amino acid composition (1050) 248

Erdmann, V.A., see Ott, G. (1050) 222
Erdmann, V.A., see Struck, J.C.R. (1050) 80
Ericson, J.U., see Hagervall, T.G. (1050) 263
Esberg, K.B., see Hagervall, T.G. (1050) 263

Far, R.K.-K., see Struck, J.C.R. (1050) 80
Florentz, C., see Giegé, R. (1050) 179
Flynn, M.K., see Frattali, A.L. (1050) 27
Formenoy, L.J., see Van Knippenberg, P.H. (1050) 14
Förster, C., see Ott, G. (1050) 222
Frattali, A.L., Flynn, M.K., De Stasio, E.A. and Dahlberg, A.E.
Effects of mutagenesis of C912 in the streptomycin binding region of *Escherichia coli* 16S ribosomal RNA (1050) 27

Gaal, T., see Josaitis, C.A. (1050) 307
Gaffield, L., see Lin, J.J. (1050) 146
Gast, F.-U., see Pingoud, A. (1050) 252
Gesteland, R.F., see Tuohy, T.M.F. (1050) 274
Giegé, R., Rudinger, J., Dreher, T., Perret, V., Westhof, E., Florentz, C. and Ebel, J.P.
Search of essential parameters for the aminoacylation of viral tRNA-like molecules. Comparison with canonical transfer RNAs (1050) 179
Giégé, R., see Grosjean, H. (1050) 267
Glotz, C., see Hansen, H.A.S. (1050) 1
Gornicki, P., see Brimacombe, R. (1050) 8
Goss, D.J., Carberry, S.E., Dever, T.E., Merrick, W.C. and Rhoads, R.E.
A fluorescence study of the interaction of protein synthesis initiation factors 4A, 4E, and 4F with mRNA and oligonucleotide analogs (1050) 163
Goss Kinzy, T., see Merrick, W.C. (1050) 235
Götz, F., Dabbs, E.R. and Gualerzi, C.O.
Escherichia coli 30S mutants lacking protein S20 are defective in translation initiation (1050) 93
Gourse, R.L., see Josaitis, C.A. (1050) 307
Greuer, B., see Brimacombe, R. (1050) 8
Grosjean, H., Droogmans, L., Giégé, R. and Uhlenbeck, O.C.
Guanosine modifications in runoff transcripts of synthetic transfer RNA-Phe genes microinjected into *Xenopus* oocytes (1050) 267
Grunberg-Manago, M., see Moine, H. (1050) 343
Grunberg-Manago, M., see Portier, C. (1050) 328
Grunberg-Manago, M., see Romby, P. (1050) 84
Gualerzi, C.O., see Götz, F. (1050) 93
Gümüsel, F., Cool, R.H., Weijland, A., Anborgh, P.H. and Parmeggiani, A.
Mutagenesis of the NH_2-terminal domain of elongation factor Tu (1050) 215

Hagervall, T.G., Ericson, J.U., Esberg, K.B., Ji-nong, L. and Björk, G.R.
Role of tRNA modification in translational fidelity (1050) 263
Hansen, H.A.S., Volkmann, N., Piefke, J., Glotz, C., Weinstein, S., Makowski, I., Meyer, S., Wittmann, H.G. and Yonath, A.
Crystals of complexes mimicking protein biosynthesis are suitable for crystallographic studies (1050) 1
Harary, R. and Kaempfer, R.
Distinct epitopes in eukaryotic initiation factor 2 for binding of mRNA and for ternary complex formation with methionyl-$tRNA_f$ and GTP (1050) 129
Hardesty, B., Picking, W.D. and Odom, O.W.
The extension of polyphenylalanine and polylysine peptides on *E. coli* ribosomes (1050) 197
Hauser, H., see Reil, H. (1050) 288
Heffron, S., see Jurnak, F. (1050) 209
Hershey, J.W.B., Smit-McBride, Z. and Schnier, J.
The role of mammalian initiation factor eIF-4D and its hypusine modification in translation (1050) 160
Heus, H.A., see Van Knippenberg, P.H. (1050) 14
Hijazi, K.A., see Buckingham, R.H. (1050) 259
Hill, W.E., Tassanakajohn, A. and Tapprich, W.E.
Interaction of tRNA with domain II of 23S rRNA (1050) 45
Hinnebusch, A.G., see Miller, P.F. (1050) 151
Hixson, S.S., see Wower, J. (1050) 38
Hucho, F., see Struck, J.C.R. (1050) 80

Janssen, G.M.C., see Van Damme, H.T.F. (1050) 241
Jaramillo, M., Browning, K., Dever, T.E., Blum, S., Trachsel, H., Merrick, W.C., Ravel, J.M. and Sonenberg, N.
Translation initiation factors that function as RNA helicases from mammals, plants and yeast (1050) 134
Ji-nong, L., see Hagervall, T.G. (1050) 263
Josaitis, C.A., Gaal, T., Ross, W. and Gourse, R.L.
Sequences upstream of the −35 hexamer of *rrnB* P1 affect promoter strength and upstream activation (1050) 307
Jurnak, F., Heffron, S., Schick, B. and Delaria, K.
Three-dimensional models of the GDP and GTP forms of the guanine nucleotide domain of *Escherichia coli* elongation factor Tu (1050) 209

Kaempfer, R., see Harary, R. (1050) 129
Karssies, R., see Van Damme, H.T.F. (1050) 241
Kiesewetter, S., see Ott, G. (1050) 222
Kjeldgaard, M., see Clark, B.F.C. (1050) 203
Kraal, B., see Abrahams, J.P. (1050) 226
Kurland, C.G., see Emilsson, V. (1050) 248
Kutay, U.R., Spahn, C.M.T. and Nierhaus, K.H.
Similarities and differences in the inhibition patterns of thiostrepton and viomycin: evidence for two functionally different populations of P sites when occupied with AcPhe-tRNA (1050) 193

La Cour, T.F.M., see Clark, B.F.C. (1050) 203
Leclerc, D., see Melançon, P. (1050) 98
Lin, J.J., Daniels-McQueen, S., Gaffield, L., Patino, M.M., Walden, W.E. and Thach, R.E. (1050) 146
Lindahl, L., Sor, F., Archer, R.H., Nomura, M. and Zengel, J.M.
Transcriptional organization of the S10, *spc* and *α* operons of *Escherichia coli* (1050) 337
Lindahl, L., see Zengel, J.M. (1050) 317
Linder, P., see Prat, A. (1050) 140
Lukacsovich, T., see Csiszár, K. (1050) 312

Mager, W.H. and Planta, R.J.
Multifunctional DNA-binding proteins mediate concerted transcription activation of yeast ribosomal protein genes (1050) 351
Makowski, I., see Hansen, H.A.S. (1050) 1
Malloy, IV, T.A., see Wower, J. (1050) 38
Mans, R.M.W., Verlaan, P.W.G., Pleij, C.W.A. and Bosch, L.
Aminoacylation of 3′ terminal tRNA-like fragments of turnip yellow mosaic virus RNA: the influence of 5′ nonviral sequences (1050) 186
Martinelli, S.D., see Perera, S. (1050) 279
Masurel, R., see Cunningham, P.R. (1050) 18
Melançon, P., Leclerc, D. and Brakier-Gingras, L.
A deletion mutation at the 5′ end of *Escherichia coli* 16S ribosomal RNA (1050) 98
Merrick, W.C., Dever, T.E., Goss Kinzy, T., Conroy, S.C., Cavallius, J. and Owens, C.L.
Characterization of protein synthesis factors from rabbit reticulocytes (1050) 235
Merrick, W.C., see Goss, D.J. (1050) 163
Merrick, W.C., see Jaramillo, M. (1050) 134
Meyer, S., see Hansen, H.A.S. (1050) 1
Miller, P.F. and Hinnebusch, A.G.
cis-Acting sequences involved in the translational control of *GCN4* expression (1050) 151

Mims, B.H., see Buckingham, R.H. (1050) 259
Mitchell, P., see Brimacombe, R. (1050) 8
Moine, H., Ehresmann, B., Romby, P., Ebel, J.P., Grunberg-Manago, M., Springer, M. and Ehresmann, C.
The translational regulation of threonyl-tRNA synthetase. Functional relationship between the enzyme, the cognate tRNA and the ribosome (1050) 343
Möller, W., see Van Damme, H.T.F. (1050) 241
Mori, H., Dammel, C., Becker, E., Triman, K. and Noller, H.F.
Single base alterations upstream of the *E. coli* 16S rRNA coding region result in temperature-sensitive 16S rRNA expression (1050) 323
Murgola, E.J., see Buckingham, R.H. (1050) 259

Nielsen, P.J., see Prat, A. (1050) 140
Nierhaus, K.H., see Kutay, U.R. (1050) 193
Nilsson, L., see Bosch, L. (1050) 293
Nilsson, L., see Verbeek, H. (1050) 302
Noller, H.F., see Mori, H. (1050) 323
Nomura, M., see Lindahl, L. (1050) 337
Nurse, K., see Cunningham, P.R. (1050) 18
Nyborg, J., see Clark, B.F.C. (1050) 203

O'Brien, T.W., Denslow, N.D., Anders, J.C. and Courtney, B.C.
The translation system of mammalian mitochondria (1050) 174
Odom, O.W., see Hardesty, B. (1050) 197
Ofengand, J., see Cunningham, P.R. (1050) 18
Olvera, J., see Wool, I.G. (1050) 69
Osswald, M., see Brimacombe, R. (1050) 8
Ott, G., Schiesswohl, M., Kiesewetter, S., Förster, C., Arnold, L., Erdmann, V.A. and Sprinzl, M.
Ternary complexes of *Escherichia coli* aminoacyl-tRNAs with the elongation factor Tu and GTP: thermodynamic and structural studies (1050) 222
Ott, G., see Abrahams, J.P. (1050) 226
Oudshoorn, P., Thomas, A., Scheper, G. and Voorma, H.O.
An initiation signal in the 5′ untranslated leader sequence of encephalomyocarditis virus RNA (1050) 124
Overbeek, G.P., see Adhin, M.R. (1050) 104
Owens, C.L., see Merrick, W.C. (1050) 235

Pagel, F.T., see Buckingham, R.H. (1050) 259
Parmeggiani, A., see Gümüsel, F. (1050) 215
Patino, M.M., see Lin, J.J. (1050) 146
Paz, V., see Wool, I.G. (1050) 69
Pelletier, J., see Altmann, M. (1050) 155
Perera, S. and Martinelli, S.D.
A mutation which modifies the activity of a translational suppressor in *Aspergillus nidulans* (1050) 279
Perret, V., see Giegé, R. (1050) 179
Peters, F., see Pingoud, A. (1050) 252
Philippe, C., see Portier, C. (1050) 328
Picking, W.D., see Hardesty, B. (1050) 197
Piefke, J., see Hansen, H.A.S. (1050) 1
Pingoud, A., Gast, F.-U. and Peters, F.
The influence of the concentrations of elongation factors and tRNAs on the dynamics and accuracy of protein biosynthesis (1050) 252
Planta, R.J., see Mager, W.H. (1050) 351
Pleij, C.W.A., see Mans, R.M.W. (1050) 186
Portier, C., Philippe, C., Dondon, L., Grunberg-Manago, M., Ebel, J.P., Ehresmann, B. and Ehresmann, C.
Translational control of ribosomal protein S15 (1050) 328
Prat, A., Schmid, S.R., Buser, P., Blum, S., Trachsel, H., Nielsen, P.J. and Linder, P.
Expression of translation initiation factor 4A from yeast and mouse in *Saccharomyces cerevisiae* (1050) 140

Raué, H.A., see Rutgers, C.A. (1050) 74
Ravel, J.M., see Jaramillo, M. (1050) 134
Reil, H. and Hauser, H.
Test system for determination of HIV-1 frameshifting efficiency in animal cells (1050) 288
Remacha, M., see Saenz-Robles, M.T. (1050) 51
Rhoads, R.E., see Goss, D.J. (1050) 163
Richardson, C., see Donly, C. (1050) 283
Rinke-Appel, J., see Brimacombe, R. (1050) 8
Romby, P., Wakao, H., Westhof, E., Grunberg-Manago, M., Ehresmann, B., Ehresmann, C. and Ebel, J.-P.
The conformation of the initiator tRNA and of the 16S rRNA from *Escherichia coli* during the formation of the 30S initiation complex (1050) 84
Romby, P., see Moine, H. (1050) 343
Ross, W., see Josaitis, C.A. (1050) 307
Rudinger, J., see Giegé, R. (1050) 179
Rutgers, C.A., Schaap, P.J., Van 't Riet, J., Woldringh, C.L. and Raué, H.A.
In vivo and in vitro analysis of structure-function relationships in ribosomal protein L25 from *Saccharomyces cerevisiae* (1050) 74

Saenz-Robles, M.T., Remacha, M., Vilella, M.D., Zinker, S. and Ballesta, J.P.G.
The acidic ribosomal proteins as regulators of the eukaryotic ribosomal activity (1050) 51
Sapag, A., Vartikar, J.V. and Draper, D.E.
Dissection of the 16S rRNA binding site for ribosomal protein S4 (1050) 34
Schaap, P.J., see Rutgers, C.A. (1050) 74
Scheper, G., see Oudshoorn, P. (1050) 124
Schick, B., see Jurnak, F. (1050) 209
Schiesswohl, M., see Ott, G. (1050) 222
Schmid, S.R., see Prat, A. (1050) 140
Schnier, J., see Hershey, J.W.B. (1050) 160
Schröder, W., see Struck, J.C.R. (1050) 80
Schüler, D., see Brimacombe, R. (1050) 8
Sharp, N.A., see Clarke, P.A. (1050) 167
Shatsky, I., see Balakin, A. (1050) 119
Sibold, C. and Subramanian, A.R.
Cloning and characterization of the genes for ribosomal proteins L10 and L12 from *Synechocystis* Sp. PCC 6803: comparison of gene clustering pattern and protein sequence homology between cyanobacteria and chloroplasts (1050) 61
Skripkin, E., see Balakin, A. (1050) 119
Smit-McBride, Z., see Hershey, J.W.B. (1050) 160
Sonenberg, N., see Altmann, M. (1050) 155
Sonenberg, N., see Jaramillo, M. (1050) 134
Sor, F., see Lindahl, L. (1050) 337
Sörensen, P., see Buckingham, R.H. (1050) 259
Spahn, C.M.T., see Kutay, U.R. (1050) 193
Springer, M., see Moine, H. (1050) 343
Sprinzl, M., see Abrahams, J.P. (1050) 226
Sprinzl, M., see Ott, G. (1050) 222
Stade, K., see Brimacombe, R. (1050) 8
Struck, J.C.R., Far, R.K.-K., Schröder, W., Hucho, F., Toschka, H.Y. and Erdmann, V.A.
Characterization of a 17 kDa protein gene upstream from the small cytoplasmic RNA gene of *Bacillus subtilis* (1050) 80
Subramanian, A.R., see Sibold, C. (1050) 61

Talens, A., see Abrahams, J.P. (1050) 226
Tapprich, W.E., see Hill, W.E. (1050) 45
Tassanakajohn, A., see Hill, W.E. (1050) 45
Tate, W., see Donly, C. (1050) 283
Thach, R.E., see Lin, J.J. (1050) 146
Thirup, S., see Clark, B.F.C. (1050) 203

Thomas, A., see Oudshoorn, P. (1050) 124
Thompson, S., see Tuohy, T.M.F. (1050) 274
Timmers, C.J., see Van Damme, H.T.F. (1050) 241
Toschka, H.Y., see Struck, J.C.R. (1050) 80
Trachsel, H., see Altmann, M. (1050) 155
Trachsel, H., see Jaramillo, M. (1050) 134
Trachsel, H., see Prat, A. (1050) 140
Triman, K., see Mori, H. (1050) 323
Tuohy, T.M.F., Thompson, S., Gesteland, R.F. and Atkins, J.F.
The role of EF-Tu and other translation components in determining translocation step size (1050) 274

Uhlenbeck, O.C., see Grosjean, H. (1050) 267

Van Damme, H.T.F., Amons, R., Karssies, R., Timmers, C.J., Janssen, G.M.C. and Möller, W.
Elongation factor 1β of artemia: localization of functional sites and homology to elongation factor 1δ (1050) 241
Van Duin, J., see Adhin, M.R. (1050) 104
Van Duin, J., see Adhin, M.R. (1050) 110
Van Knippenberg, P.H., Formenoy, L.J. and Heus, H.A.
Is there a special function for U · G basepairs in ribosomal RNA? (1050) 14
Van Knippenberg, P.H., see Cunningham, P.R. (1050) 18
Van 't Riet, J., see Rutgers, C.A. (1050) 74
Vartikar, J.V., see Sapag, A. (1050) 34
Venetianer, P., see Csiszár, K. (1050) 312
Verbeek, H., Nilsson, L., Baliko, G. and Bosch, L.
Potential binding sites of the *trans*-activator FIS are present upstream of all rRNA operons and of many but not all tRNA operons (1050) 302
Verbeek, H., see Bosch, L. (1050) 293
Verlaan, P.W.G., see Mans, R.M.W. (1050) 186
Vijgenboom, E., see Bosch, L. (1050) 293
Vilella, M.D., see Saenz-Robles, M.T. (1050) 51
Volkmann, N., see Hansen, H.A.S. (1050) 1
Voorma, H.O., see Oudshoorn, P. (1050) 124

Wakao, H., see Romby, P. (1050) 84
Walden, W.E., see Lin, J.J. (1050) 146
Weijland, A., see Gümüsel, F. (1050) 215
Weinstein, S., see Hansen, H.A.S. (1050) 1
Weitzmann, C.J., see Cunningham, P.R. (1050) 18
Westhof, E., see Giegé, R. (1050) 179
Westhof, E., see Romby, P. (1050) 84
Williams, J., see Donly, C. (1050) 283
Wilson, T.M.A., see Altmann, M. (1050) 155
Wittmann, H.G., see Hansen, H.A.S. (1050) 1
Woldringh, C.L., see Rutgers, C.A. (1050) 74
Wool, I.G., Chan, Y.-L., Paz, V. and Olvera, J.
The primary structure of rat ribosomal proteins: the amino acid sequences of L27a and L28 and corrections in the sequences of S4 and S12 (1050) 69
Wower, J., Malloy, IV, T.A., Hixson, S.S. and Zimmermann, R.A.
Probing tRNA binding sites on the *Escherichia coli* 30 S ribosomal subunit with photoreactive analogs of the anticodon arm (1050) 38

Yonath, A., see Hansen, H.A.S. (1050) 1

Zengel, J.M. and Lindahl, L.
Mapping of two promoters for elongation factor Tu within the structural gene for elongation factor G (1050) 317
Zengel, J.M., see Lindahl, L. (1050) 337
Zimmermann, R.A., see Wower, J. (1050) 38
Zinker, S., see Saenz-Robles, M.T. (1050) 51